

# DERMADAPTOR

## ADAPTADOR/ADAPTER

## REF.

## MODELO/MODEL


## ROSCA/THREAD



DA101

IWATA  
SUPERNOVA  
WS400/LS400

1/4 Macho, Rosca 19  
1/4 Male, 19 Thread BSP



DA102

IWATA  
W400/W400LV/WR400/LPH400  
SATA JET B NR-92/NR-95

16mm Hembra, Rosca 1.5mm  
16mm Female, 1.5mm Thread



DA103

SATA QCC FAMILY

Rosca Trapezoidal  
Trapezoidal Thread



DA104

DEVILBISS  
GTI FAMILY/DV1

3/8 Macho, Rosca 19  
3/8 Male, 19 Thread BSP

**ADAPTADOR/ADAPTER**

**REF.**

**MODELO/MODEL**

**ROSCA/THREAD**



DA105

WALCOM  
GENESI

16mm Macho, Rosca 1.5mm  
16mm Male, 1.5mm Thread



DA106

WALCOM  
GEO/EGO


12mm Macho, Rosca 1.0mm  
12mm Male, 1.0mm Thread



DA107

SAGOLA  
3300G/4100G/4200G

12mm Macho, Rosca 1.5mm.  
12mm Male, 1.5mm. Thread



DA108

SAGOLA  
4100GTO/4400/4500XTREME

18mm Hembra, Rosca 1.5mm  
18mm Female, 1.5mm Thread

**ADAPTADOR/ADAPTER**

**REF.**

**MODELO/MODEL**

**ROSCA/THREAD**



DA110

OTRAS MARCAS  
OTHER BRANDS

16mm Macho, Rosca 1.5mm  
16mm Male, 1.5mm Thread



DA115

SATA  
MINI JET4/3000B

10mm Macho, Rosca  
Trapezoidal 1.0mm  
10mm Male, 1.0mm  
Trapezoidal Thread



DA116

DEVILBISS  
DV1S FOR DV1

3/8 Hembra, Rosca 18  
7/16 Macho, Rosca 14  
3/8 Female, 18 Thread NPS  
7/16 Male, 14 Thread UNC